CURT SMITCH Director



STATE OF WASHINGTON

DEPARTMENT OF WILDLIFE

600 Capitol Way North • Olympia, Washington 98501-1091 • (206) 753-5700

Date A APRIL 1992

Department of Ecology Water Resources Section Southwest Region 7272 Cleanwater Lane

5779379

Olympia Washington 0050/	2550011
Olympia, Washington 98504	5ZZ8380
	Water Right Application # 5228381_
	Applied for by WILLIAMS, RAV
	Water
	WRIA # 24
	Amount .67, 1.34, 1.68 Cfs-
The waters to be affected by this wat	er right application:
support anadromous fish	
support resident fish	
support no fish	
based on site-specific knowledge	
based on experience with this ty	pe of water
The Department of Wildlife has review	
application and submits the following	recommendations:
This is a second response after	field investigation following a hold
request.	rield investigation for lowing a noid
	nd stream closures for this WRIA. Water
rights should be subject to adop	ted minimum flows and closures as stated
in WAC 173-5 .	
Deny:	
Deny: According to WDW policy (POL-3200 <u>5. Diversion From Very Small</u>
Streams to be Discouraged), "Any	diversion from very small streams (less
than five feet wide between toes	of banks) is detrimental to fish
	ds. The Department will discourage any
diversion from very small stream	
	ted, would adversely impact wetlands in
violation of Executive Order 90- Minimum flow: All diversions sha	
as measured at	is less than cfs
	cfs during .
This is based on	
	uld be subject to existing low flow on
	that existing low flow is not clearly
	nt and specific number of cfs, then
please notify us so that we may	



	Single domestic water rights normally do not exceed 0.02 cfs. If this	
	water right is issued, we request that it be limited to no more than	
	0.02 cfs.	
	Please HOLD pending investigation to determine minimum flow needed. We	
	will be able to provide site-specific minimum flow recommendations by	
	// after field investigations are completed.	
	Please HOLD pending completion of IFIM study which should be conducted	
	by applicant following Instream Flow Study Guidelines available from	
	Department of Wildlife.	
	Screening criteria: Maximum approach velocity 0.40 ft/sec, 1/8 inch	
	mesh.	
	Hydraulic Project Approval required.	
	Spring is important wildlife habitat. We request that WDOE establish	
	conditions to minimize impact to wildlife habitat. Please call us if we	
١.:	can assist.	
X	No comments.	
	Other:	

Thank you for the opportunity to review and comment.

Sincerely,

Constance Iten
Habitat Biologist

CI:mjf

CHRISTINE O. GREGOIRE Director



STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia. Washington 98504-6811 • (206) 753-2353

March 31, 1992

RAY WILLIAMS HC 62 BOX 400 GRAYLAND WA 98547-9723

Re: Surface Water Application No. S 2-28380

Dear Mr. Williams:

We acknowledge receipt of your affidavit of publication of notice in connection with the above-numbered application.

The water codes require that no action be taken toward issuance of a permit earlier than thirty (30) days after the last date of publication. This period of time is allowed for filing any protests or objections. In some cases it is also necessary for us to await approval of the Departments of Fisheries and Wildlife before issuing permits.

A site investigation will be made by this office before we issue a permit decision. In light of our water right backlog, we estimate it will be about 18 months after receipt of your application before we are able to conduct the site investigation.

Sincerely,

Sheri Fox

Water Resources

SF:ra(12B)



Affidavit of Publication

County of Pacific

State of Washington

Meredith Nicholson

being first duly sworn on oath deposes and says that he is the Publisher of The Willapa Harbor Herald, a weekly newspaper, that said newspaper is a legal newspaper and has been approved as a legal newspaper by order of the Superior Court of Pacific County, which is the county of its publications. That the annexed is a true copy of Notice of Application To Appropriate Public Waters/Application No. S228380 as it was published in regular issues (and not in supplement form) of said newspaper once a week for a period of two consecutive weeks, commencing on the 11th day of March 1992, ending on the 18th day of March 1992, both dates inclusive and that such newspaper was regularly distributed to its subscribers during all of said publications for the sum of \$47.51, which amount has been paid in full at the rate of \$5.50 per column inch for the first insertion, \$4.50 per column inch for each subsequent insertion.

rechtalulus Subscribed and sworn to before me this 18th day of March, 1992.

Notary Public in and for State of Washington

C. L. Retuch

Residing at Raymond, Washington

SEAL


NOTICE OF APPLICATION TO APPROPRIATE PUBLIC WATERS

TAKE NOTICE:

That Ray Williams of Grayland, Washington on 12/29/91 under Application No. S228380 filed for permit to appropriate public waters, subject to existing rights, from Sump Tributary to small ditch in the amount of 1.34 cubic feet per second as needed year round each year, for frost control and irrigation during irrigation season. The source of the proposed appropriation is located within NE 1/4 SW 1/4 of Section 29, Township 15 N., Range 11W W.M., in Pacific County.

Protests or objections to approval of this application must include a detailed statement of the basis for objections: protests must be accompanied by a two dollar (\$2.00) recording fee and filed with the Department of Ecology, at the address shown below, within (30) days from March 18, 1992.

Dept. of Ecology LU-11 P.O. Box 47775 Olympia, WA 98504-7775 (Publish: Mar. 11 & 18, 1992)





CHRISTINE O. GREGOIRE Director



STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

February 12, 1992

Ray Williams HC 62 Box 400 Grayland, Washington 98547-9723

Re: Surface Water Application No. S 2-28380

Dear Mr. Williams:

Your application for the appropriation of water has been assigned the above-referenced number. Please refer to this number in future correspondence.

Enclosed is a notice of your application which must be published <u>once a week for two consecutive weeks</u> in a qualified legal newspaper of general circulation in the County or Counties in which the storage, diversion, and use is to be made and in other newspapers as directed. A list of these newspapers in your county is enclosed. <u>The applicant is responsible for the payment of the publication.</u>

<u>Please read the notice carefully to make sure it is correct</u>. Should you find an error, please return the notice to our office for correction.

You should mail or deliver the enclosed notice to a newspaper regarding publication as soon as possible. When you receive the affidavit of publication from the newspaper, please forward it to this office promptly.

A site investigation will be made by this office before we issue a permit decision.

In light of our water right backlog, we estimate it will be about 18 months after receipt of your application before we are able to conduct the site investigation.

Sincerely

Sheri Fox

Water Resources

SF:th Enclosures





STATE OF WASHINGTON DEPARTMENT OF ECOLOGY

NOTICE OF APPLICATION TO APPROPRIATE PUBLIC WATERS

TAKE NOTICE:

That Ray Williams	
	on 12/29/91 under
	nit to appropriate public waters, subject to existing rights,
the amount of1.34 .cubic feet per second.	as needed year round
ch year, forfrost control and irrigation	during irrigation season.
ne source of the proposed appropriation is located wi	ithin NE1/4 SW1/4
	ge11W W.M., inPacific County.
Protests or objections to approval of this application otests must be accompanied by a two dollar (\$2.00) record own below, within thirty (30) days from	must include a detailed statement of the basis for objections; ling fee and filed with the Department of Ecology, at the address
ist date of publication to be entered above by publisher)	
	Don't of Garlogia.
	Dept of Ecology
	24-11 P.O. Box 47775
	Degrapa Da 98504-777



ECY 040-1-1 Rev. 2 79